

POWER TOOL ACCESSORIES



**KLEIN[®]
TOOLS**

OUT OF YOUR HAND

Quality, Durability, Precision. These words describe Klein Tools, the #1 preferred hand tool in the electrical industry, as well as one of the leading brands used in the maintenance, construction and industrial trades. Klein's commitment to professional tradesmen for over 155 years has earned Klein the reputation of supplying only the finest quality professional hand tools.

***As the tradesman's needs change,
so do Klein's products.***



& INTO YOUR DRILL!

NOW PUT KLEIN TOOLS IN YOUR DRILL!



The next generation of Klein tools is now available for use with power tools. Klein offers a line of **Multi-Bit Drivers**, **Hollow-Shaft Nut Drivers**, **Power Driver Bits** and **Conduit Reamers** available as accessories for power tools. All the same functionality, quality and performance you expect from Klein.


Manufactured in the U.S.A., these power tool accessories are direct descendants of the quality Klein tools used by generations of professionals.

*Put a Klein at the end of
your power tool and feel
the durable difference!*



MULTI-BIT POWER DRIVERS

Both Klein Multi-Bit Power Drivers combine multiple screwdriver and nut driver functions in one power tool adapter. The solid body with 1/4" hex quick connect easily attaches to any power drill. These power drivers are designed and constructed to withstand the high RPMs and force of even the most aggressive impact driver. The Klein Multi-Bit Power Drivers allow you to quickly change between functions. No more wasting time and money, searching for different accessories in your tool bag. Everything you need is in the chuck of the drill at all times.



Solid body with a 1/4" hex quick connect easily attaches to any power drill

Replacement bits available




PATENT PENDING

Includes one magnetically held standard 1" bit and one double ended bit



32606



IMPACT RATED!



Cat. No.	UPC Code 0-92644+	Description	Overall Length (in/mm)	Screwdriver			Nut Driver			
				PH2	SQ2	SL 3/16	1/4"	5/16"	3/8"	9/16"
32605	32605-9	5-in-1 Multi-Bit Power Driver	4.25" (108 mm)	+	□	●	○			○
32606	32606-6	6-in-1 Multi-Bit Power Driver	5" (127 mm)	+	□	●	○	○		○
Double-Ended Replacement Bits										
32744	32744-5	Replacement Bit for 32605 (3 pk)	N/A		□	●				
32745	32745-2	Replacement Bit for 32606 (3 pk)	N/A		□	●				

See page 7 for single ended replacement bits.



POWER NUT DRIVERS

Available in several sizes, these hollow shaft magnetic nut drivers are designed for long bolts, studs or threaded rod jobs. The magnetic head holds nuts and bolts to aid in hard to reach installations. The wrench assist end is designed for high torque loosening found in many jobs.



Hollow magnetic shafts for nut running

1/4" hex quick connect with wrench assist



Available in a variety of hex sizes

Available in 2", 5" and 10" lengths

PND91610


IMPACT RATED!

Cat. No.	UPC Code 0-92644+	Hex Sizes (in/mm)	Hollow Depth (in/mm)	Overall Length (in/mm)
2" (127 mm) Out-of-Chuck				
32759	32759-9	1/4" (6 mm), 5/16" (8 mm), 3/8" (10 mm)	1-7/8" (48 mm)	6.32" (80 mm)
5" (127 mm) Out-of-Chuck				
PND7165	32758-2	7/16" (11 mm)	3-13/16" (97 mm)	6.32" (161 mm)
PND125	32757-5	1/2" (13 mm)	3-23/32" (95 mm)	6.30" (160 mm)
PND9165	32756-8	9/16" (14 mm)	3-5/8" (92 mm)	6.33" (161 mm)
10" (254 mm) Out-of-Chuck				
PND71610	32755-1	7/16" (11 mm)	8-13/16" (223 mm)	11.32" (288 mm)
PND1210	32754-4	1/2" (13 mm)	8-23/32" (221 mm)	11.30" (287 mm)
PND91610	32753-7	9/16" (14 mm)	8-5/8" (219 mm)	11.33" (288 mm)



*Rare earth magnet is globally sourced.

POWER CONDUIT REAMER




Reams conduit and installs fittings in a fraction of the time. Designed to fit into power drill chucks and quick release adapters, the power conduit reamer reduces time and wrist fatigue on projects with large quantities of conduit runs.

Reams 1/2", 3/4" and 1" conduit

Replacement blades and bits available

Includes precision engineered replaceable reaming blade

Fits into power drill chucks and quick release adapters



85091

IMPACT RATED!

Cat. No.	UPC Code 0-92644+	Description
85091	85091-2	Conduit Fitting Reamer Drill Head 1/2", 3/4" and 1" conduit
Replacement Parts		
19353*	85703-4	Conduit Reamer Replacement Blade
SQ2-1-15**	32732-2	#2 Square Recess Bit

NOTE: *19353 is the only approved blade for use in the Power Conduit Reamer.
 **Any 1/4" bit will work with the Power Conduit Reamer.



POWER DRIVERS

Klein Power Driver Bits are manufactured in the U.S.A. to ensure proper fit in every application. Each driver bit is precision machined, heat treated and finished to the gold standards Klein Tools puts into every screwdriver blade. The proprietary processes create the longest life power driver bit in the industry. Tight fitting tips reduce wear and deliver the premium performance you, and the generations before you, expect from a Klein.




IMPACT RATED!

Cat. No.	UPC Code 0-92644+	Tip Size	Length	Pack Quantity
PH1-1-5	32720-9	#1	1"	5
PH1-35-5	32721-6	#1	3-1/2"	5
PH1-6-2	32722-3	#1	6"	2
PH2-1-15	32723-0	#2	1"	15
PH2-35-5	32724-7	#2	3-1/2"	5
PH2-6-2	32725-4	#2	6"	2
PH3-1-5	32726-1	#3	1"	5
PH3-35-5	32727-8	#3	3-1/2"	5
PH3-6-2	32728-5	#3	6"	2



Klein Lasts Longer Before Cam Out



Cat. No.	UPC Code 0-92644+	Tip Size	Length	Pack Quantity
SL316-1-5	32738-4	3/16"	1"	5
SL316-35-5	32739-1	3/16"	3-1/2"	5
SL14-1-5	32740-7	1/4"	1"	5
SL14-35-5	32741-4	1/4"	3-1/2"	5



Custom heat treated for long life

Available in a variety of tips

Cat. No.	UPC Code 0-92644+	Tip Size	Length	Pack Quantity
SQ1-1-5	32729-2	#1	1"	5
SQ1-35-5	32730-8	#1	3-1/2"	5
SQ1-6-2	32731-5	#1	6"	2
SQ2-1-15	32732-2	#2	1"	15
SQ2-35-5	32733-9	#2	3-1/2"	5
SQ2-6-2	32734-6	#2	6"	2
SQ3-1-5	32735-3	#3	1"	5
SQ3-35-5	32736-0	#3	3-1/2"	5
SQ3-6-2	32737-7	#3	6"	2



Precision machined for better fit, more torque and less wear



PH2-1

1"



PH2-35

3-1/2"



PH2-6

6"



For more information on Klein's complete
line of professional tools, visit

www.kleintools.com

**KLEIN
TOOLS**



© 2013 Klein Tools, Inc.
Lincolnshire, IL 60069-1418
Printed in U.S.A. 96157