

Specification Sheet

Part Number: T120R9K2



Heavy Duty Cable Tie, 15.2" Long, UL Rated, 120lb Tensile Strength, PA66, Natural, 50/pkg

Article Number	112-12019
Type	T120R
Color	Natural (NA)
Features & Benefits	<ul style="list-style-type: none">• Heavy-duty design offers higher tensile strength.• Buckle feature on head allows excess strap to be tucked away after installation.• Bent tail ensures a quick and simple installation.
Quantity Per	bag

Product Description

Heavy-Duty T-Series Cable Ties feature inside serrations to provide a positive hold on wire and cable bundles. Durable head design guarantees high tensile strength and a low insertion force. The bent tail allows quick and simple installations by hand. For high-volume applications, tensioning tools are available to ensure consistent and safe installation.

Short Description	Heavy Duty Cable Tie, 15.2" Long, UL Rated, 120lb Tensile Strength, PA66, Natural, 50/pkg
Global Part Name	T120R-PA66-NA
Minimum Tensile Strength (Imperial)	120.0
Minimum Tensile Strength (Metric)	535.0
Length L (Imperial)	15.2
Length L (Metric)	387.0
Identification Plate Position	none
Releasable Closure	No
Tie Closure	plastic pawl
Variant	Inside Serrated
Width W (Imperial)	0.30
Width W (Metric)	7.6
Bundle Diameter Min (Imperial)	0.20
Bundle Diameter Min (Metric)	5.0
Bundle Diameter Max (Imperial)	4.1
Bundle Diameter Max (Metric)	104.1

Thickness T (Imperial)	0.07
-------------------------------	------

Thickness T (Metric)	1.8
-----------------------------	-----

Material	Polyamide 6.6 (PA66)
-----------------	----------------------

Material Shortcut	PA66
--------------------------	------

US MIL SPEC	MS3367-3-9
--------------------	------------

SAE-AS33671	
--------------------	--

Flammability

UL 94 V2	Halogen free
----------	---------------------

Yes	Operating Temperature (Metric)
-----	---------------------------------------

-40°F to +185°F (-40°C to +85°C)	Reach Complaint(Article 33)
----------------------------------	------------------------------------

Yes	ROHS Complaint
-----	-----------------------

Yes	Certification/Specification WEB
-----	--

BACS38K UL-ZODZ.E64139 CAGE Code 53421	UL Recognized (US)
--	---------------------------

Yes	UL Listed (US and Canada)
-----	----------------------------------

Yes	UL Recognized (US and Canada)
-----	--------------------------------------

Yes	
-----	--

Package Quantity(Imperial)

50

Package Quantity (Metric)

50

Customs Number

3926909987

Content Unit(BMEcat)

pcs.

Weight (Metric)

5.14